PATENT ABSTRACTS OF JAPAN

(11)Publication number:

57-057706

(43) Date of publication of application: 07.04.1982

(51)Int.Cl.

C08F222/02

(21)Application number: 55-132330

(71)Applicant: NIPPON SHOKUBAI KAGAKU

CH2 CH

KOGYO CO LTD

(22)Date of filing:

25.09.1980

(72)Inventor: TSUBAKIMOTO TSUNEO

HOSOIDO MASAHIRO TAWARA HIDEYUKI

(54) NOVEL COPOLYMER AND ITS PRODUCTION

(57)Abstract:

PURPOSE: To obtain a copolymer having carboxyl groups and comb-shaped side chains of an ethylene oxide adduct and being useful as a pigment dispersant of the like, by copolymerizing polymethylene glycol monoallyl ether with a maleic acid monomer.

CONSTITUTION: A copolymer consisting of repeating structual units of formulas III and IV in a mol ratio of (60:40)W(40W60), having carboxyl groups or salts thereof and comb-shaped side chains of an ethylene oxide adduct and being useful as a pigment dispersant, a chelating agent and an emulsifier, is obtained by copolymerizing polyethylene glycol monoallyl ether of formulal, wherein n is 1W100, with a maleic acid

monomer of formula II, wherein R1 and R2 are each H or

CHE # O'CHE CHE > 0 H Ŋ N

methyl, X and Y are each H, a monovalent metal, a bivalent metal, ammonium or an organic amine, e.g., maleic acid or fumaric acid, in a solvent by use of a polymerization initiator and, if necessary, neutralizing the product with an alkaline substance.

LEGAL STATUS

DERWENT-ACC-NO:

1982-39899E

DERWENT-WEEK:

198220

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE:

Copolymer useful as dispersant, chelating

agent, scale

inhibitor etc. - obtd. from polyethylene glycol mono:allyl ether and maleic acid type monomer

PATENT-ASSIGNEE: NIPPON SHOKUBAI KAGAKU KOGYO CO LTD[JAPC]

PRIORITY-DATA: 1980JP-0132330 (September 25, 1980)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE

PAGES MAIN-IPC

JP 57057706 A April 7, 1982 N/A

009 N/A

JP 87025163 B June 2, 1987 N/A

000 N/A

APPLICATION-DATA:

PUB-NO APPL-DESCRIPTOR APPL-NO

APPL-DATE

JP 57057706A N/A 1980JP-0132330

September 25, 1980

INT-CL (IPC): C08F216/20, C08F220/28, C08F222/02

ABSTRACTED-PUB-NO: JP 57057706A

BASIC-ABSTRACT:

New copolymer comprises repeating units of formula (I) (where n is 1-100), and

repeating units of formula (II) (where R1, R2 are each H or methyl; X and Y are

each H, monovalent metal, divalent metal, ammonium gp. or organic amine gp.)),

with molar ratio of total sum of (I) to total sum of (II) 60:40-40:60.

Mfr. comprises copolymerising polyethylene glycol monoallyl ether of formula

(III) with maleic acid type-monomer of formula (IV), using polymerisation

5/11/2007, EAST Version: 2.0.3.0

initiator and if necessary, further, neutralising the obtd. copolymer with

alkaline substance.

The copolymer shows excellent performance in wide range of uses such as

dispersing agent for pigment, chelating agent, scale inhibitor, builder for

detergent, high molecular surfactant, emulsifier, cement mixing additive, etc.

TITLE-TERMS: COPOLYMER USEFUL DISPERSE CHELATE AGENT SCALE INHIBIT OBTAIN

POLYETHYLENE GLYCOL MONO ALLYL ETHER MALEIC ACID TYPE MONOMER

ADDL-INDEXING-TERMS:

DETERGENT BUILD SURFACTANT EMULSION CEMENT ADDITIVE

DERWENT-CLASS: A14 A25 A97

CPI-CODES: A04-D; A04-F05; A04-F11; A10-E08A;

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0013 0037 0226 1040 1279 1588 1592 2002 2014 2066 2122 2585 2701

2709 3273 3275 1417 1424 1438 1432

Multipunch Codes: 013 02& 028 034 039 075 104 109 116 147 155 157 198 231 240

27& 28& 31- 336 54- 575 58& 583 589 59& 603 623 624 626 678 679 688

691 720 013

02& 028 034 039 075 104 108 109 147 155 157 198 231 240 27& 31- 336

54- 575 58&

583 589 59& 603 623 624 626 678 679 688 691 720 013 02& 028 034 039

075 104 107

109 147 155 157 198 231 240 27& 31- 336 54- 575 58& 583 589 59& 603

623 624 626

678 679 688 691 720 013 02& 028 034 039 075 104 105 109 147 155 157

198 231 240

27& 31- 336 54- 575 58& 583 589 59& 603 623 624 626 678 679 688 691 720

5/11/2007, EAST Version: 2.0.3.0